



HEADQUARTERS

Paseo de Gracia, 12, 1er piso
08007 Barcelona / Spain
T. +34 900 525 209
sales@isc-sl.com

www.isc-sl.com

ISC SPAIN

C. d'en Ribes, 16 AC
08970 Sant Joan Despí / Barcelona
T. +34 93 477 61 40
barcelona@iscsl.es

www.iscsl.es

C. Velázquez, 27, Planta 1 Izq
28001 Madrid
T. +34 91 269 38 44
madrid@iscsl.es

Custom Service in DYED Colors.

We offer the option of dyeing all references molded in natural polyamide.

The dyeing process is carried out by immersion in a RIT dye solution at 93°C, resulting in translucent shades of basic colors such as red, green, blue, yellow, and black.

These colors are not opaque and do not match RAL, Pantone, or other standards. Freshly molded polyamide has a moisture content of 0.5%, which increases to 3-4% after dyeing. This additional moisture enhances impact resistance but may also make the pieces more flexible and less suitable for certain applications.

Our commercial department, working closely with our technical office, will analyze the specific requirements of your project to assess its feasibility. If dyeing is not a viable option, we will provide personalized advice to identify the best alternative that ensures an optimal result.

Please note that, due to the manual nature of the process, we cannot guarantee exact consistency in color saturation between different batches. However, we follow strict work protocols to minimize this variability and maintain a high standard of quality across all productions.



ISC DEUTSCHLAND

Ballindamm 3
D-20095 Hamburg
T. +49 (0) 800 000 1888
verkauf@iscsl.de
www.iscsl.de

ISC FRANCE

11 bis rue de Moscou
75008 Paris
T. + 33 (0)1 84 16 63 67
ventes@iscsl.fr
www.iscsl.fr

ISC ITALIA

Via Confienza 10
10121 Torino
T. +39 011 19 88 78 14
commerciale@iscsl.it
www.iscsl.it

